

COM-MW TECHNOLOGY

"\r\n
\r\n
\r\n
\r\n\r\n
\r\n

\u4e3b\u8981\u53c2\u6570</h3>\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n

\u53c2\u6570</th>\r\n	\u6700\u5c0f</th>\r\n	\u5178\u578b</th>\r\n	\u6700\u5927</th>\r\n	\u5355\u4f4d</th>\r\n </tr>\r\n </thead>\r\n
\u5de5\u4f5c\u9891\u7387</td>>\r\n	230</td>\r\n	~</td>\r\n	550</td>\r\n	MHz</td>\r\n </tr>\r\n
\u63d2\u5165\u635f\u8017</td>>\r\n	</td>\r\n	</td>\r\n	2.5</td>\r\n	dB</td>\r\n </tr>\r\n
\u9694\u79bb\u5ea6</td>\r\n	20</td>\r\n	</td>\r\n	</td>\r\n	dB</td>\r\n </tr>\r\n
\u8f93\u5165\u9a7b\u6ce2\u6bd4</td>\r\n	</td>\r\n	1.6</td>\r\n	</td>\r\n	</td>\r\n </tr>
\u8f93\u51fa\u9a7b\u6ce2\u6bd4</td>\r\n	</td>\r\n	1.3</td>\r\n	</td>\r\n	</td>\r\n </tr>\r\n
\u5e45\u5ea6\u5e73\u8861</td>\r\n	</td>\r\n	</td>\r\n	0.8</td>\r\n	dB</td>\r\n </tr>\r\n

Note: The specifications and performance data contained in this data sheet are based on tests established by CMW.



COM-MW TECHNOLOGY

Note: The specifications and performance data contained in this data sheet are based on tests established by CMW.

Website: www.com-mw.com E-commerce: www.dianzimai.com Tel: (86)028-84085873 E-mail: Sales@com-mw.com

