

COM-MW TECHNOLOGY

"\r\n
\r\n
\r\n
\r\n\r\n

\u4e3b\u891\u53c2\u6570</h3>\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n\r\n

\u53c2\u6570</th>\r\n>\r\n	\u6700\u5c0f</th>\r\n>\r\n	\u5178\u578b</th>\r\n>\r\n	\u6700\u5927</th>\r\n>\r\n	\u5355\u4f4d</th>\r\n</tr>\r\n</thead>\r\n
\u5de5\u4f5c\u9891\u7387</td>\r\n>\r\n	12.723</td>\r\n>\r\n	~</td>\r\n>\r\n	12.742</td>\r\n>\r\n	GHz</td>\r\n</tr>\r\n
\u589e\u76ca</td>\r\n>\r\n	40</td>\r\n>\r\n	</td>\r\n>\r\n	</td>\r\n>\r\n	dB</td>\r\n</tr>\r\n\r\n
\u589e\u76ca\u5e73\u5766\u5ea6</td>\r\n>\r\n	</td>\r\n>\r\n	\u00b11</td>\r\n>\r\n	</td>\r\n>\r\n	dB</td>\r\n</tr>\r\n
\u566a\u58f0\u7cfb\u6570</td>\r\n>\r\n	</td>\r\n>\r\n	</td>\r\n>\r\n	3</td>\r\n>\r\n	dB</td>\r\n</tr>\r\n
\u9a7b\u6ce2\u6bd4</td>\r\n>\r\n	</td>\r\n>\r\n	2.5</td>\r\n>\r\n	</td>\r\n>\r\n	</td>\r\n</tr>\r\n
P-1dB\u8f93\u51fa\u529f\u7387</td>\r\n>\r\n	12</td>\r\n>\r\n	</td>\r\n>\r\n	</td>\r\n>\r\n	dBm</td>\r\n</tr>\r\n

Note: The specifications and performance data contained in this data sheet are based on tests established by CMW.



COM-MW TECHNOLOGY

Note: The specifications and performance data contained in this data sheet are based on tests established by CMW.

Website: www.com-mw.com E-commerce: www.dianzimai.com Tel: (86)028-84085873 E-mail: Sales@com-mw.com

